



## STATISTICS – August 2018

Publications by Year since 1992



Citations by Year since 1992



Articles: 92

Total Citations\*: 4284

h-index\*: 42

Year	Publication	Times Cited*
2016	[92] EXAFS Reveals Two Mo Environments in the Nitrogenase Iron-Molybdenum Cofactor Biosynthetic Protein NifQ George S. J.; Hernandez J. A.; Jimenez-Vicente E.; Echavarri-Erasun C.; Rubio L. M. <i>Chem. Comm.</i> <b>2016</b> , 52, 11811-11814	1
	[91] Interaction of Gd-DTPA with phosphate and phosphite: Toward the reaction intermediate in Nephrogenic Systemic Fibrosis Gao, S.; George S. J.; Zhou Z-H. <i>Dalton Trans.</i> <b>2016</b> , 45, 5388-5394	2
2014	[90] Structural characterization of CO-Inhibited Mo-nitrogenase by combined application of NRVS, EXAFS, and DFT: New insights into the effects of CO binding and the role of the interstitial atom Scott, A. D.; Pelmentschikov, V.; Guo, Y.; Yan, L.; Wang, H-X.; George, S. J.; Dapper, C. H.; Newton, W. E.; Tanaka, Y.; Yoda, Y.; Cramer, S. P. <i>J. Am. Chem. Soc.</i> <b>2014</b> , 136, 15942-15954	22
	[89] The HydG enzyme generates an Fe(CO) <sub>2</sub> (CN) synthon in the biosynthesis of the FeFe hydrogenase H-Cluster Kuchenreuther, J. M.; Myers, W. K.; Stich, T. A.; Suess, D. L. M.; Pelmentschikov, V.; Shiigi, S. A.; Cramer, S. P.; Swartz, J. R.; Britt, R. D.; George, S. J. <i>Science</i> <b>2014</b> , 343, 424-427	75
	[88] Fe-S cluster biogenesis in gram-positive bacteria: SufU is a zinc-dependent sulfur transfer protein Selbach, B. P.; Chung, A. H.; Scott, A. D.; George, S. J.; Cramer, S. P.; Dos Santos, P. C. <i>Biochemistry</i> <b>2014</b> , 53, 152-160	42
2013	[87] Nuclear resonance vibrational spectroscopy (NRVS) of rubredoxin and MoFe protein crystals Guo, Y.; Brecht, E.; Aznavour, K.; Nix, J. C.; Xiao, Y.; Wang, H.; George, S. J.; Bau, R.; Keable, S.; Peters, J. W.; Adams, M. W. W.; Jenney, F.; Sturhahn, W.; Alp, E. E.; Zhao, J. Yoda, Y.; Cramer, S. P. <i>Hyperfine Interact.</i> , <b>2013</b> , 222, S77-S90	6
	[86] A Radical Intermediate in Tyrosine Scission to the CO and CN <sup>-</sup> Ligands of [FeFe] Hydrogenase Kuchenreuther, J. M.; Myers, W. K.; Stich, T. A.; George, S. J.; NejatyJahromy, Y.; Swartz, J. R.; Britt, R. D. <i>Science</i> <b>2013</b> , 342, 472-475	69

	[85] Characterization of [4Fe-4S] Cluster Vibrations and Structure in Nitrogenase Fe Protein at Three Oxidation Levels via Combined NRVs, EXAFS and DFT Analyses Mitra, D.; <b>George, S. J.</b> ; Guo, Y.; Kamali, S.; Keable, S.; Peters, S. W.; Pelmeshnikov, V.; Case, D. A.; Cramer, S. P. <i>J. Am. Chem. Soc.</i> <b>2013</b> , <i>135</i> , 2530–2543	33
	[84] NRVs and EPR Spectroscopy of 57Fe-enriched [FeFe] Hydrogenase Indicate Stepwise Assembly of the H-cluster Kuchenreuther, J. M.; Guo, Y.; Wang, H.; Myers, W. K.; <b>George, S. J.</b> ; Boyke, C. A.; Yoda, Y.; Alp, E. E.; Zhao, J.; Britt, R. D.; Swartz, J. R.; Cramer, S. P. <i>Biochemistry</i> <b>2013</b> , <i>52</i> , 818-826	28
2012	[83] EXAFS and NRVs Reveal a Conformational Distortion of the FeMo-cofactor in the MoFe Nitrogenase Propargyl Alcohol Complex <b>George, S. J.</b> ; Barney B. M.; Mitra, D.; Guo, Y.; Igarashi, R. Y.; Dean, D. R.; Cramer, S. P.; Seefeldt, L. C. <i>J. Inorg. Biochem.</i> <b>2012</b> , <i>112</i> , 85-92	31
	[82] Redox, Heme and CO in Enzymatic Catalysis and Regulation (review) Ragsdale, S. W.; Li, Y.; Bender, G.; Gupta, N.; Kung, Y.; Yan, L.; Scott, A. D.; Stich, T. A.; Doukov, T.; Leichert, L.; Jenkins, P. M.; Bianchetti, C. M.; <b>George, S. J.</b> ; Cramer, S. P.; Britt, R. D.; Jakob, U.; Martens, J. R.; Phillips, G. N.; Drennan, C. L. <i>Biochem. Soc. Trans.</i> <b>2012</b> , <i>40</i> , 501-507	13
	[81] Cell-free H-cluster Synthesis and [FeFe] Hydrogenase Activation: All Five CO and CN Ligands Derive from Tyrosine Kuchenreuther, J. M.; <b>George, S. J.</b> ; Grady-Smith, C. S.; Cramer, S. P.; Swartz, J. R.; <i>PLoS ONE</i> <b>2011</b> , <i>6</i> , e20346	74
2011	[80] The Consequences of Interface Mixing on Organic Photovoltaic Device Characteristics Huang, D. M.; Maugera, S. A.; Friedrich, S.; <b>George, S. J.</b> ; Dumitriu-LaGrange D.; Yoona, S.; Moule, A. J. <i>Adv. Funct. Mater.</i> , <b>2011</b> , <i>21</i> , 1657-1665	71
	[79] Photolysis of Hi-CO Nitrogenase – Observation of a Plethora of Distinct CO Species using Infrared Spectroscopy Yan, L.; Dapper, C. H.; <b>George, S. J.</b> ; Wang, H-X.; Mitra, D.; Dong, W.; Newton, W. E.; Cramer, S. P. <i>Eur. J. Inorg. Chem.</i> , <b>2011</b> , <i>2011</i> , 2064-2074	25
	[78] Steric Control of the Hi-CO MoFe Nitrogenase Complex Revealed by Stopped-Flow Infra-red Spectroscopy Yang, Z.-Y.; Seefeldt, L. C.; Dean, D. R.; Cramer, S. P.; <b>George, S. J.</b> <i>Angew. Chem. Int. Ed.</i> , <b>2011</b> , <i>50</i> , 272-275	22
	[77] High-yield expression of heterologous [FeFe] hydrogenases in Escherichia coli Kuchenreuther, J. M.; Grady-Smith, C.S.; Bingham, A. S.; <b>George, S. J.</b> ; Cramer, S. P.; Swartz, J. R. <i>PLoS ONE</i> <b>2010</b> , <i>5</i> , e15491	92
2010	[76] Synchrotron X-ray analyses indicate phosphate-bound gadolinium in nephrogenic systemic fibrosis <b>George, S. J.</b> ; Webb, S. M.; Abraham, J. L.; Cramer, S. P. <i>Brit. J. Dermatol.</i> , <b>2010</b> , <i>163</i> , 1077-1081	38
	[75] [FeFe]-Hydrogenase Maturation: HydG-Catalyzed Synthesis of Carbon Monoxide Shepard, E. M.; Duffus, B. R.; <b>George, S. J.</b> ; McGlynn, S. E.; Challand, M. R.; Swanson, K. D.; Roach, P. L.; Cramer, S. P.; Peters, J. W.; Broderick, J. B. <i>J. Am. Chem. Soc.</i> , <b>2010</b> , <i>132</i> , 9247–9249	114
	[74] Synthesis of the 2Fe subcluster of the [FeFe]-hydrogenase H cluster on the HydF scaffold Shepard, E. M.; McGlynn, S. E.; Bueling, A. L.; Grady-Smith, C. S.; <b>George, S. J.</b> ; Winslow, M. A.; Cramer, S. P.; Peters, J. W.; Broderick, J. B. <i>Proc. Natl. Acad. Sci. U.S.A.</i> , <b>2010</b> , <i>107</i> , 10448-10453	124
	[73] A Star-Shaped Heteronuclear (CrMn <sup>II</sup> )-Mn <sup>III</sup> Species and Its Precise Electronic and Magnetic Structure: Spin Frustration Studied by X-Ray Spectroscopic, Magnetic, and Theoretical Methods Prinz, M.; Kuepper, K.; Taubitz, C.; Raekers, M.; Khanra, S.; Biswas, B.; Weyhermuller, T.; Uhlarz, M.; Wosnitza, J.; Schnack, J.; Postnikov, A. V.; Schroder, C.; <b>George, S. J.</b> ; Neumann, M.; Chaudhuri, P. <i>Inorg. Chem.</i> , <b>2010</b> , <i>49</i> , 2093-2102	34
2009	[72] Molybdenum Trafficking for Nitrogen Fixation Hernandez, J. A.; <b>George, S. J.</b> ; Rubio, L. M. <i>Biochemistry</i> , <b>2009</b> , <i>48</i> , 9711-972	36

	[71] Molybdenum X-ray absorption edges from 200 – 20,000 eV, The benefits of soft x-ray spectroscopy for chemical speciation <b>George, S. J.</b> ; Drury, O. B.; Fu, J.; Friedrich, S.; Doonan, C. J.; George, G. N.; White, J. M.; Young, C. G.; Cramer, S. P. <i>J. Inorg. Biochem.</i> , <b>2009</b> , 103, 157–167	17
2008	[70] Star-shaped molecule of Mn <sup>II</sup> <sub>4</sub> O <sub>6</sub> core with a S <sub>t</sub> = 10 high-spin state. A theoretical and experimental study with XPS, XMCD, and other magnetic methods. Khanra, S.; Kuepper, K.; Weyhermüller, T.; Prinz, M.; Raekers, M.; Voget, S.; Postnikov, A. V.; de Groot, F. M. F.; <b>George, S. J.</b> ; Coldea, M.; Neumann, M.; Chaudhuri, P. <i>Inorg. Chem.</i> <b>2008</b> , 47, 4605-4617	42
	[69] EXAFS and NRVS reveal that NifB-co, a FeMo-co precursor, comprises a 6Fe core with an interstitial light atom <b>George, S. J.</b> ; Igarashi, R. Y.; Xiao, Y.; Hernandez, J. A.; Demuez, M.; Zhao, D.; Yoda, Y.; Ludden, P. W.; Rubio, L. M.; Cramer, S. P. <i>J. Am. Chem. Soc.</i> <b>2008</b> , 130, 5673-5680	55
	[68] X-ray photochemistry in iron complexes from Fe(0) to Fe(IV) - Can a bug become a feature? <b>George, S. J.</b> ; Fu, J.; Guo, Y.; Drury, O. B.; Friedrich, S.; Rauchfuss, T.; Volkers, P. I.; Peters, J. C.; Scott, V.; Brown, S. D.; Thomas, C. M.; Cramer, S. P. <i>Inorg. Chim. Acta</i> <b>2008</b> , 361, 1157-1165	27
	[67] Protein voltammetry and spectroscopy: integrating approaches Male, L.; Marritt, S. J.; Berks, B. C.; Cheesman, M. R.; van Wonderen, J. H.; <b>George, S. J.</b> ; Butt, J. N. <i>Theor. Chem. Acc.</i> <b>2008</b> , 119, 107-111	6
2007	[66] The superconducting high-resolution soft X-ray spectrometer at the advanced biological and environmental X-ray facility Friedrich, S.; Drury, O. B.; <b>George, S. J.</b> ; Cramer, S. P. <i>Nucl. Instrum. Meth. A</i> <b>2007</b> , 582, 187-189	7
	[65] Activation of the cytochrome <i>cd</i> <sub>1</sub> nitrite reductase from <i>Paracoccus pantotrophus</i> - Reaction of oxidized enzyme with substrate drives a ligand switch at heme c van Wonderen, J. H.; Knight, C.; Oganessian, V. S.; <b>George, S. J.</b> ; Zumft, W. G.; Cheesman, M. R. <i>J. Biol. Chem.</i> <b>2007</b> , 282, 28207-28215	19
	[64] Identification of a Mo-Fe-S cluster on NifEN by Mo K-edge extended X-ray absorption fine structure <b>George, S. J.</b> ; Igarashi, R. Y.; Piamonteze, C.; Soboh, B.; Cramer, S. P.; Rubio, L. M. <i>J. Am. Chem. Soc.</i> <b>2007</b> , 129, 3060-3061	16
2006	[63] Spectroscopic and computational studies of reduction of the metal versus the tetrapyrrole ring of coenzyme F-430 from methyl-coenzyme M reductase Dey, M.; Kunz, R. C.; van Heuvelen, K. M.; Craft, J. L.; Horng, Y. C.; Tang, Q.; Bocian, D. F.; <b>George, S. J.</b> ; Brunold, T. C.; Ragsdale, S. W. <i>Biochemistry</i> <b>2006</b> , 45, 11915-11933	11
	[62] How nitrogenase shakes - Initial information about P-cluster and FeMo-cofactor normal modes from nuclear resonance vibrational Spectroscopy (NRVS) Xiao, Y. M.; Fisher, K.; Smith, M. C.; Newton, W. E.; Case, D. A.; <b>George, S. J.</b> ; Wang, H. X.; Sturhahn, W.; Alp, E. E.; Zhao, J. Y.; Yoda, Y.; Cramer, S. P. <i>J. Am. Chem. Soc.</i> <b>2006</b> , 128, 7608-7612	66
	[61] The advantages of soft X-rays and cryogenic spectrometers for measuring chemical speciation by X-ray spectroscopy Drury, O. B.; Friedrich, S.; <b>George, S. J.</b> ; Cramer, S. P. <i>Nucl. Instrum. Meth. A</i> <b>2006</b> , 559, 728-730	5
2005	[60] Normal mode analysis of <i>Pyrococcus furiosus</i> rubredoxin via nuclear resonance vibrational spectroscopy (NRVS) and resonance Raman spectroscopy Xiao, Y. M.; Wang, H.; <b>George, S. J.</b> ; Smith, M. C.; Adams, M. W. W.; Jenney, F. E.; Sturhahn, W.; Alp, E. E.; Zhao, J. O.; Yoda, Y.; Dey, A.; Solomon, E. I.; Cramer, S. P. <i>J. Am. Chem. Soc.</i> <b>2005</b> , 127, 14596-14606	62
	[59] EPR and infrared spectroscopic evidence that a kinetically competent paramagnetic intermediate is formed when acetyl-coenzyme A synthase reacts with CO <b>George, S. J.</b> ; Seravalli, J.; Ragsdale, S. W. <i>J. Am. Chem. Soc.</i> <b>2005</b> , 127, 13500-13501	43

	[58] Normal mode analysis of $\text{FeCl}_4^-$ and $\text{Fe}_2\text{S}_2\text{Cl}_4^{2-}$ via vibrational Mössbauer, resonance Raman, and FT-IR spectroscopies Smith, M. C.; Xiao, Y. M.; Wang, H. X.; <b>George, S. J.</b> ; Coucouvanis, D.; Koutmos, M.; Sturhahn, W.; Alp, E. E.; Zhao, J. Y.; Cramer, S. P. <i>Inorg. Chem.</i> <b>2005</b> , <i>44</i> , 5562-5570	69
	[57] High-resolution X-ray emission spectroscopy of molybdenum compounds Doonan, C. J.; Zhang, L. M.; Young, C. G.; <b>George, S. J.</b> ; Deb, A.; Bergmann, U.; George, G. N.; Cramer, S. P. <i>Inorg. Chem.</i> <b>2005</b> , <i>44</i> , 2579-2581	12
	[56] X-ray magnetic circular dichroism - a high energy probe of magnetic properties (review) Funk, T.; Deb, A.; <b>George, S. J.</b> ; Wang, H. X.; Cramer, S. P. <i>Coord. Chem. Rev.</i> <b>2005</b> , <i>249</i> , 3-30	111
	[55] Reductive activation of nitrate reductases Field, S. J.; Thornton, N. P.; Anderson, L. J.; Gates, A. J.; Reilly, A.; Jepson, B. J. N.; Richardson, D. J.; <b>George, S. J.</b> ; Cheesman, M. R.; Butt, J. N. <i>Dalton Trans.</i> <b>2005</b> , 3580-3586	25
2004	[54] Hydrogen-induced activation of the [NiFe]-hydrogenase from <i>Allochromatium vinosum</i> as studied by stopped-flow infrared spectroscopy Kurkin, S.; <b>George, S. J.</b> ; Thorneley, R. N. F.; Albracht, S. P. J. <i>Biochemistry</i> <b>2004</b> , <i>43</i> , 6820-6831	87
	[53] Reactions of $\text{H}_2$ , CO, and $\text{O}_2$ with active [NiFe]-Hydrogenase from <i>Allochromatium vinosum</i> . A stopped-flow infrared study <b>George, S. J.</b> ; Kurkin, S.; Thorneley, R. N. F.; Albracht, S. P. J. <i>Biochemistry</i> <b>2004</b> , <i>43</i> , 6808-6819	99
2003	[52] Stopped-flow Fourier transform infrared spectroscopy of nitromethane oxidation by the diiron(IV) intermediate of methane monooxygenase Muthusamy, M.; Ambundo, E. A.; <b>George, S. J.</b> ; Lippard, S. J.; Thorneley, R. N. F. <i>J. Am. Chem. Soc.</i> <b>2003</b> , <i>125</i> , 11150-11151	19
	[51] A two-faced molecule offers NO explanation: the proximal binding of nitric oxide to haem Lawson, D. M.; Stevenson, C. E. M.; Andrew, C. R.; <b>George, S. J.</b> ; Eady, R. R. <i>Biochem. Soc. Trans.</i> <b>2003</b> , <i>31</i> , 553-557	50
2002	[50] The di-iron subsite of all-iron hydrogenase: Mechanism of cyanation of a synthetic {2Fe3S} - Carbonyl assembly <b>George, S. J.</b> ; Cui, Z.; Razavet, M.; Pickett, C. J., <i>Chem. Eur. J.</i> <b>2002</b> , <i>8</i> , 4037-4046	113
	[49] Transient FTIR spectroelectrochemical and stopped-flow detection of a mixed valence {Fe(I)-Fe(II)} bridging carbonyl intermediate with structural elements and spectroscopic characteristics of the di-iron sub-site of all-iron hydrogenase Razavet, M.; Borg, S. J.; <b>George, S. J.</b> ; Best, S. P.; Fairhurst, S. A.; Pickett, C. J., <i>Chem. Comm.</i> <b>2002</b> , 700-701	59
	[48] Nitrogenase mechanism: can old lags teach us new tricks? (book chapter/conference proceeding) Thorneley, R. N. F.; Angove, H.; Ashby, G. A.; Durrant, M.C.; Fairhurst, S. A.; <b>George, S. J.</b> ; Hallenbeck, P. C.; Sinclair, A.; Tolland, J. D., in <i>Nitrogen Fixation: Global Perspectives.</i> ; Finan, T. M.; O'Brian, M. R.; Layzell, D. B.; Vessey, J. K.; Newton, W. E., Eds.; CABI Publishing, Wallingford, UK. <b>2002</b> , pp. 25-29	0
	[47] Six- to five-coordinate heme-nitrosyl conversion in cytochrome <i>c'</i> and its relevance to guanylate cyclase Andrew, C. R.; <b>George, S. J.</b> ; Lawson, D. M.; Eady, R. R. <i>Biochemistry</i> <b>2002</b> , <i>41</i> , 2353-2360	83
2001	[46] Stopped-flow infrared spectroscopy reveals a six-coordinate intermediate in the formation of the proximally bound five-coordinate NO adduct of cytochrome <i>c'</i> <b>George, S. J.</b> ; Andrew, C. R.; Lawson, D. M.; Thorneley, R. N. F.; Eady, R. R., <i>J. Am. Chem. Soc.</i> <b>2001</b> , <i>123</i> , 9683-9684	31
2000	[45] Time-resolved infrared spectroscopy reveals a stable ferric heme-NO intermediate in the reaction of <i>Paracoccus pantotrophus</i> cytochrome <i>cd</i> <sub>1</sub> nitrite reductase with nitrite <b>George, S. J.</b> ; Allen, J. W. A.; Ferguson, S. J.; Thorneley, R. N. F. <i>J. Biol. Chem.</i> <b>2000</b> , <i>275</i> , 33231-33237 (correction, <i>J. Biol. Chem.</i> 2001, <i>276</i> , 47742)	70

	[44] Time resolved infrared spectroscopy of functioning nitrogenase ( <i>book chapter</i> ) Thorneley, R. N. F.; <b>George, S. J.</b> , in <i>Prokaryotic nitrogen fixation: a model system for analysis of a biological process.</i> ; Triplett, E. W., Ed.; Horizon Scientific Press: Wymondham, UK., <b>2000</b> , pp. 81-99	4
	[43] Stopped-flow infra-red spectroscopy of Carbon monoxide binding to functioning nitrogenase ( <i>book chapter/conference proceeding</i> ) Thorneley, R. N. F.; Ashby, G. A.; <b>George, S. J.</b> , in <i>Nitrogen Fixation: From molecules to crop productivity</i> ; Pedrosa, F. O., Hungria, M., Yates, G. and Newton, W. E., Ed.; Kluwer: The Netherlands, <b>2000</b> , pp. 39-40	4
1999	[42] Quantitation of metal ion and DNA junction binding to the Holliday junction endonuclease Cce1 Kvaratskhelia, M.; <b>George, S. J.</b> ; Cooper, A.; White, M. F. <i>Biochemistry</i> <b>1999</b> , <i>38</i> , 16613-16619	14
	[41] Reversible alkaline inactivation of lignin peroxidase involves the release of both the distal and proximal site calcium ions and bis-histidine co-ordination of the haem <b>George, S. J.</b> ; Kvaratskhelia, M.; Dilworth, M. J.; Thorneley, R. N. F. <i>Biochem. J.</i> <b>1999</b> , <i>344</i> , 237-244	49
	[40] A novel, general method of analyzing magnetic circular dichroism spectra and magnetization curves of high-spin metal ions: Application to the protein oxidized rubredoxin, <i>Desulfovibrio gigas</i> Oganesyan, V. S.; <b>George, S. J.</b> ; Cheesman, M. R.; Thomson, A. J. <i>Journal of Chemical Physics</i> <b>1999</b> , <i>110</i> , 762-777	75
1998	[39] The structure of carbonyl horseradish peroxidase: spectroscopic and kinetic characterization of the carbon monoxide complexes of His-42 -> Leu and Arg-38 -> Leu mutants Rodriguez-Lopez, J. N.; <b>George, S. J.</b> ; Thorneley, R. N. F. <i>J. Biol. Inorg. Chem.</i> <b>1998</b> , <i>3</i> , 44-52	21
1997	[38] Salicylic acid is a reducing substrate and not an effective inhibitor of ascorbate peroxidase Kvaratskhelia, M.; <b>George, S. J.</b> ; Thorneley, R. N. F. <i>J. Biol. Chem.</i> <b>1997</b> , <i>272</i> , 20998-21001	52
	[37] Time-resolved binding of carbon monoxide to nitrogenase monitored by stopped-flow infrared spectroscopy <b>George, S. J.</b> ; Ashby, G. A.; Wharton, C. W.; Thorneley, R. N. F. <i>J. Am. Chem. Soc.</i> <b>1997</b> , <i>119</i> , 6450-6451	89
	[36] Iron L-edge X-ray absorption spectroscopy of myoglobin complexes and photolysis products Wang, H. X.; Peng, G.; Miller, L. M.; Scheuring, E. M.; <b>George, S. J.</b> ; Chance, M. R.; Cramer, S. P. <i>J. Am. Chem. Soc.</i> <b>1997</b> , <i>119</i> , 4921-4928	79
1996	[35] Anionic tobacco peroxidase is active at extremely low pH: Veratryl alcohol oxidation with a pH optimum of 1.8 Gazarian, I. G.; Lagrimini, L. M.; <b>George, S. J.</b> ; Thorneley, R. N. F. <i>Biochem. J.</i> <b>1996</b> , <i>320</i> , 369-372	49
	[34] Fluorescence detected soft XAS and MCD – Applications to bioinorganic systems Cramer, S. P.; Peng, G.; Christiansen, J.; Chen, J.; van Elp, J.; <b>George, S. J.</b> ; Young, A. T. <i>J. Electron Spectrosc.</i> , <b>1996</b> , <i>78</i> , 225-229	12
	[33] Manganese L-edge X-ray absorption spectroscopy of manganese catalase from <i>Lactobacillus plantarum</i> and mixed valence manganese complexes Grush, M. M.; Chen, J.; Stemmler, T. L.; <b>George, S. J.</b> ; Ralston, C. Y.; Stibrany, R. T.; Gelasco, A.; Christou, G.; Gorun, S. M.; Penner-Hahn, J. E.; Cramer, S. P. <i>J. Am. Chem. Soc.</i> <b>1996</b> , <i>118</i> , 65-69	71
1995	[32] Identification of the iron-sulfur clusters in a ferredoxin from the archaeon <i>Sulfolobus acidocaldarius</i> - evidence for a reduced [3Fe-4S] cluster with pH dependent electronic properties Breton, J. L.; Duff, J. L. C.; Butt, J. N.; Armstrong, F. A.; <b>George, S. J.</b> ; Petillot, Y.; Forest, E.; Schafer, G.; Thomson, A. J. <i>Eur. J. Biochem.</i> <b>1995</b> , <i>233</i> , 937-946	60
	[31] Biological x-ray spectroscopy on 3rd-generation synchrotron radiation sources Ralston, C. Y.; Chen, J.; Peng, G.; <b>George, S. J.</b> ; van Elp, J.; Cramer, S. P. <i>Physica B</i> , <b>1995</b> , <i>209</i> , 203-208	0

1994	[30] Soft x-ray magnetic circular dichroism on a paramagnetic bioinorganic system ( <i>book chapter/conference proceeding</i> ) Vanelp, J.; <b>George, S. J.</b> ; Peng, G.; Searle, B. G.; Zhou, Z. H.; Adams, M. W. W.; Chen, C. T.; Cramer, S. P. <i>Proceedings SPIE</i> <b>1994</b> , 2010, 181-189	2
	[29] Soft x-ray absorption and x-ray magnetic circular dichroism in biology ( <i>book chapter</i> ) <b>George, S. J.</b> ; van Elp, J.; Chen, J.; Peng, G.; Mitra-Kirtley, S.; Mullins, O. C.; Cramer, S. P., in <i>Synchrotron Radiation in Biosciences</i> ; Chance, B., Ed.; Clarendon Press: Oxford, <b>1994</b> , pp. 313-332	0
1993	[28] Soft x-ray magnetic circular dichroism - a probe for studying paramagnetic bioinorganic systems Van Elp, J.; <b>George, S. J.</b> ; Chen, J.; Peng, G.; Chen, C. T.; Tjeng, L. H.; Meigs, G.; Lin, H. J.; Zhou, Z. H.; Adams, M. W. W.; Searle, B. G.; Cramer, S. P. <i>Proc. Natl. Acad. Sci. U.S.A.</i> <b>1993</b> , 90, 9664-9667	33
	[27] Iron EXAFS of <i>Azotobacter vinelandii</i> nitrogenase Mo-Fe and V-Fe proteins Chen, J.; Christiansen, J.; Tittsworth, R. C.; Hales, B. J.; <b>George, S. J.</b> ; Coucouvanis, D.; Cramer, S. P. <i>J. Am. Chem. Soc.</i> <b>1993</b> , 115, 5509-5515	93
	[26] Copper L-edge spectral studies - a direct experimental probe of the ground-state covalency in the blue copper site in plastocyanin <b>George, S. J.</b> ; Lowery, M. D.; Solomon, E. I.; Cramer, S. P. <i>J. Am. Chem. Soc.</i> <b>1993</b> , 115, 2968-2969	144
	[25] Extended x-ray absorption fine structure and L-edge spectroscopy of nitrogenase molybdenum-iron protein Chen, J.; Christiansen, J.; <b>George, S. J.</b> ; Tittsworth, R. C.; Hales, B. J.; Alahmad, S.; Coucouvanis, D.; Campobasso, N.; Bolin, J.; Cramer, S. P., in <i>Molybdenum Enzymes, Cofactors, and Model Systems</i> ; Steifel, E. I., Coucouvanis, D. and Newton, W. E., Ed.; American Chemical Society: Washington D.C., <b>1993</b> , pp. 231-242	3
	[24] Variable temperature magnetic circular dichroism Thomson, A. J.; Cheesman, M. R.; <b>George, S. J.</b> , in <i>Meth. Enzymol.</i> <b>1993</b> , 225, 199-232	119
	[23] Determination of the nitrogen chemical structures in petroleum asphaltene using XANES spectroscopy Mitra-Kirtley, S.; Mullins, O. C.; van Elp, J.; <b>George, S. J.</b> ; Chen, J.; Cramer, S. P. <i>J. Am. Chem. Soc.</i> <b>1993</b> , 115, 252-258	191
[22] X-ray absorption spectroscopy of nitrogenase MoFe protein ( <i>book chapter/conference proceeding</i> ) Chen, J.; Christiansen, J.; <b>George, S. J.</b> ; Tittsworth, R. C.; Hales, B. J.; Campobasso, N.; Bolin, J.; Cramer, S. P., in <i>Applications of Synchrotron Radiation Techniques to Materials Science</i> ; Perry, S. L., D., S. N., Stockbauer, R. L., d'Amico, K. L. and Terminello, L. J., Ed.; Materials Research Society; Vol. 307, <b>1993</b>	0	
1992	[21] Nitrogen chemical structure in DNA and related molecules by x-ray absorption spectroscopy Mitra-Kirtley, S.; Mullins, O. C.; Chen, J.; van Elp, J.; <b>George, S. J.</b> ; Chen, C. T.; Ohalloran, T.; Cramer, S. P. <i>Biochim. Biophys. Acta</i> <b>1992</b> , 1132, 249-254	77
	[20] Soft x-ray spectroscopy of metalloproteins using fluorescence detection Cramer, S. P.; Chen, J.; <b>George, S. J.</b> ; van Elp, J.; Moore, J.; Tench, O.; Colaresi, J.; Yocum, M.; Mullins, O. C.; Chen, C. T. <i>Nucl. Instrum. Meth. A</i> <b>1992</b> , 319, 285-289	33
	[19] L-edge x-ray absorption spectroscopy of <i>Pyrococcus furiosus</i> rubredoxin <b>George, S. J.</b> ; van Elp, J.; Chen, J.; Ma, Y.; Chen, C. T.; Park, J. B.; Adams, M. W. W.; Searle, B. G.; Degroot, F. M. F.; Fuggle, J. C.; Cramer, S. P. <i>J. Am. Chem. Soc.</i> <b>1992</b> , 114, 4426-4427	37
1991	[18] Identification and characterization of zinc binding sites in protein kinase C Hubbard, S. R.; Bishop, W. R.; Kirschmeier, P.; <b>George, S. J.</b> ; Cramer, S. P.; Hendrickson, W. A. <i>Science</i> <b>1991</b> , 254, 1776-1779	188
	[17] Iron-sulfur clusters in electron-transfer, catalysis and control Thomson, A. J.; Breton, J.; <b>George, S. J.</b> ; Butt, J. N.; Armstrong, F. A.; Hatchikian, E. C. <i>Biochem. Soc. Trans.</i> <b>1991</b> , 19, 594-599	6

	[16] Investigation of metal-ion uptake reactivities of [3Fe-4S] clusters in proteins - Voltammetry of coadsorbed ferredoxin-aminocyclitol films at graphite electrodes and spectroscopic identification of transformed clusters Butt, J. N.; Armstrong, F. A.; Breton, J.; <b>George, S. J.</b> ; Thomson, A. J.; Hatchikian, E. C. <i>J. Am. Chem. Soc.</i> <b>1991</b> , <i>113</i> , 6663-6670	95
	[15] Fluorescence XAFS detectors for 0.3 - 20 keV ( <i>book chapter/conference proceeding</i> ) Cramer, S. P.; <b>George, S. J.</b> ; Kraner, H.; Rogers, L.; Rescia, S.; Radeka, V.; Yocum, M.; Colaresi, J.; Tench, O.; Mullins, O. C., in <i>X-ray Absorption Fine Structure</i> ; Hasnain, S. S., Ed.; Ellis Horwood: New York, <b>1991</b> , pp. 640-645	2
	[14] A comparative study of the low-temperature Magnetic Circular Dichroism spectra of ferredoxins containing [4Fe-4S] and [4Fe-4Se] clusters <b>George, S. J.</b> ; Thomson, A. J.; Crabtree, D. E.; Meyer, J.; Moulis, J. M. <i>New J. Chem</i> <b>1991</b> , <i>15</i> , 455-465	9
1990	[13] Cytochrome- <i>c</i> " isolated from <i>Methylophilus methylotrophus</i> - an example of bis-Histidine coordinated Fe <sup>3+</sup> heme, with near-perpendicular orientation of the ligands Berry, M. J.; <b>George, S. J.</b> ; Thomson, A. J.; Santos, H.; Turner, D. L. <i>Biochem. J.</i> <b>1990</b> , <i>270</i> , 413-417	37
	[12] Electrochemical and spectroscopic studies of ferredoxins Thomson, A. J.; <b>George, S. J.</b> ; Armstrong, F. A.; Hatchikian, E. C.; Yates, M. G. <i>Pure and Applied Chemistry</i> <b>1990</b> , <i>62</i> , 1071-1074	7
1989	[11] Evidence for reversible multiple redox transformations of [3Fe-4S] clusters Armstrong, F. A.; Butt, J. N.; <b>George, S. J.</b> ; Hatchikian, E. C.; Thomson, A. J. <i>Febs Lett.</i> <b>1989</b> , <i>259</i> , 15-18	42
	[10] Electrochemical and spectroscopic characterization of the 7Fe form of ferredoxin III from <i>Desulfovibrio africanus</i> Armstrong, F. A.; <b>George, S. J.</b> ; Cammack, R.; Hatchikian, E. C.; Thomson, A. J. <i>Biochem. J.</i> <b>1989</b> , <i>264</i> , 265-273	81
	[9] Electrochemical and spectroscopic characterization of the conversion of the 7Fe into the 8Fe Form of ferredoxin III from <i>Desulfovibrio africanus</i> - identification of a [4Fe-4S] cluster with one non-cysteine ligand <b>George, S. J.</b> ; Armstrong, F. A.; Hatchikian, E. C.; Thomson, A. J. <i>Biochem. J.</i> <b>1989</b> , <i>264</i> , 275-284	125
1988	[8] NMR, EPR and magnetic-CD studies of cytochrome- <i>f</i> - identity of the heme axial ligands Rigby, S. E. J.; Moore, G. R.; Gray, J. C.; Gadsby, P. M. A.; <b>George, S. J.</b> ; Thomson, A. J. <i>Biochem. J.</i> <b>1988</b> , <i>256</i> , 571-577	61
	[7] X-ray crystallography and the spectroscopic imperative - the story of the [3Fe-4S] clusters ( <i>review</i> ) George, G. N.; <b>George, S. J.</b> <i>Trends in Biochemical Sciences</i> <b>1988</b> , <i>13</i> , 369-370	12
	[6] Direct electrochemistry in the characterization of redox proteins - novel properties of <i>Azotobacter</i> 7Fe ferredoxin Armstrong, F. A.; <b>George, S. J.</b> ; Thomson, A. J.; Yates, M. G. <i>Febs Lett.</i> <b>1988</b> , <i>234</i> , 107-110	67
	[5] Redox properties of <i>Azotobacter</i> 7Fe ferredoxin ( <i>review</i> ) Armstrong, F. A.; <b>George, S. J.</b> ; Thomson, A. J.; Yates, M. G. <i>Biochem. Soc. Trans.</i> <b>1988</b> , <i>16</i> , 840-842	1
1986	[4] Magnetic circular dichroism of iron-sulphur proteins ( <i>PhD thesis</i> ) <b>George, S. J.</b> , PhD Thesis, University of East Anglia, <b>1986</b>	4
1985	[3] A study of one of the iron-sulfur clusters in oxidized hydrogenase from <i>Megasphaera elsdenii</i> by Magnetic Circular Dichroism Spectroscopy Thomson, A. J.; <b>George, S. J.</b> ; Richards, A. J. M.; Robinson, A. E.; Grande, H. J.; Veeger, C.; van Dijk, C. <i>Biochem. J.</i> <b>1985</b> , <i>227</i> , 333-336	15
1984	[2] <i>Azotobacter chroococcum</i> 7Fe ferredoxin - 2 pH dependent forms of the reduced 3Fe cluster and its conversion to a 4Fe cluster <b>George, S. J.</b> ; Richards, A. J. M.; Thomson, A. J.; Yates, M. G. <i>Biochem. J.</i> <b>1984</b> , <i>224</i> , 247-25	39

[1] Spectroscopic characterization of ferredoxin I and ferredoxin II from *Desulfovibrio africanus*  
Hatchikian, E. C.; Cammack, R.; Patil, D. S.; Robinson, A. E.; Richards, A. J. M.; **George, S. J.**;  
Thomson, A. J. *Biochim. Biophys. Acta* **1984**, 784, 40-47

30

\* (citations and statistics from Google Scholar)